

CO-Wall DESIGN

Natural Inspiration |



CONTENTS

4 PRODUCT TECHNICAL SPECIFICATIONS

5 PRODUCT ADVANTAGES

6 PRODUCTS

19 APPLICATION EXAMPLES

25 PANEL DIMENSIONS

26 APPLICATION GUIDE



PRODUCT TECHNICAL SPECIFICATIONS:

Components: polyester, fiberglass and stone powder.

Has the texture and appearance of natural stone.

Non-flammable. Suitable for areas exposed to intense sunlight or heat.

UV protected and unaffected by harmful rays.

Lightweight, with an average weight of 6-8 kg/m².

Thin yet impact-resistant, with shock-absorbing properties.

Easy to clean; washable and wipeable.

Will not fade.

Suitable for wet areas such as kitchens and bathrooms; unaffected by water and moisture.

Available in many alternatives with natural stone, concrete, tile and brick appearances.

Can be fixed with screws and wall plugs to virtually any surface, including walls and ceilings after rough construction.

Contains no carcinogenic substances.

Thanks to its light weight, it can also be mounted on portable stands.

Suitable for interior and exterior façades as well as ceiling applications. Natural stone cladding on ceilings can be risky and costly; our panels provide a practical alternative.

Special mastic filler is used at the joints to maintain pattern continuity. Each model has its own matching touch-up paints.

After the joints and screw heads are textured, joint paint is applied to create a seamless appearance.

Areas where natural stone is difficult to apply can easily achieve the look and texture of stone or concrete with our panels.

Decorative fiber panels can be used as interior or exterior cladding throughout homes, workplaces and other living spaces. They are resistant to temperature changes, dust and moisture.





Prevents the static load caused by natural stone.

Adds no load to the building...



ADVANTAGES:

Creates the visual and tactile effect of natural stone and concrete.

Provides the same appearance and texture while eliminating many disadvantages of natural stone and concrete.

Easy to apply on all plaster-finished surfaces.

Eliminates extra costs such as painting and insulation.

Unaffected by water and moisture; ideal for exposed areas and helps prevent related problems.

Eliminates common drawbacks of natural stone applications such as local detachment, breakage and unsightly joint gaps.

Easy to mount on any desired surface; it does not affect structural statics or add extra load to the façade.

Easy demounting also minimizes removal costs.

Can be drilled and cut.

Decorative items can be mounted on its surface.

Profiles can be used to form columns and arches, as well as partition walls, fireplaces, vaults and similar features.

Fast installation with wall plugs and screws saves time, especially in hotels, cafés, restaurants, shops and other commercial spaces where a high-quality finish is required.

Causes no damage to the applied surface other than screw holes.

Produces no construction debris such as sand or cement and does not harm the environment.


Does not require a building or construction permit.

Its flexible structure allows different forms to be created.

Concrete Series




A
S
A
M
I
L
A



S
A
G
R
A
D
A



P
I
S
A



P
E
D
R
E
R
A



Brick Series



Bran




Eilean



Segovia



Brick Series



Chillon




Belmonte







Stone Series




Chateau





Chambord




Kylemore




Schwerin





Windsor




Stone Series



Himeji



Aleppo



Palacio




Wood Series




Sagano



Crooked



Sequoia



Monteverde



Mertek



Daintree



Wood Series



Ardennes



Hallerbos




Meghalaya



Design Series



Guernica



Meninas



Galette



Galilee



Design Series



Venere




Desnuda



Impression



Rust Series



G-901



G-902



G-903



G-904



G-900



G-905



G-906



G-907



-908



G-909


*Bringing old
and new together
with elegance.*




Tile Series



A
D
A
N
Y
A



A
K
R
O
N
İ
U
M



T
R
A
L
L
E
İ
S



A
N
K
Ü
R
A



A
T
A
L
E
İ
A



Tile Series




B
E
L
E
K
O
M
A



P
O
L
Y
D
O
R
İ



P
R
U
S
İ
A



G
A
N
G
R
A




N
İ
K
O
N
Y
A



Tile Series




L
A
O
D
I
K
E
I



A
M
I
D




O
R
E
S
T
I
A



E
R
I
Z
A

















PANEL DIMENSIONS

Wall Panels



Size	Surface area	May vary by +/- 5% depending on model
2.85 m	3.80 m ²	
1.33 m		

Tile Series



Size	Surface area	May vary by +/- 5% depending on model
2.50 m	3.12 m ²	
1.25 m		



Measure the dimensions of the area to be covered.



Purchase panels suitable for your space.



Cut the panels according to your measurements.



Begin installing the panels using screws.



Prepare the material used to fill the joints.



Apply the prepared mixture to the joints.



Before the mixture dries, use a fine paintbrush to maintain pattern continuity.



After the mixture dries, lightly load the brush with the required paint and apply it to the joints.



Apply the paint in light layers to reach the desired colour tone, making the joints visually disappear.



If needed, lightly wipe with a cloth to match the colour tone.



Your panel installation is complete.

CO-Wall DESIGN

Natural Inspiration |



WOO GRUP YAPI SAN VE TİC LTD ŞTİ
Küçükyalı mah. Şevkiçavuş Sok. No:2/13
Maltepe / İSTANBUL
+90 2167069773
info@concretta.com
www.concretta.com

www.concretta.com